



Project series

VQ6P有源紧凑型线阵列系统




技术规范说明 *Owner's Manual*


VQ6P.....	1
W215P.....	2
系统图.....	3



产品结构:



产品应用组合:



产品特点:

- ◇ 二分频有源紧凑型线阵列系统
- ◇ 系统采用全球领先的低音相位塞专利技术,实现低频线性传输倍增,小体积,大能量
- ◇ 专业悬挂系统,安全、快速、可靠
- ◇ 内置强大的DSP数字功放模块,能量强劲可靠,轻松应对各种扩声现场

箱体构造:

- ◇ 箱体材料为多层18MM桦木板,坚固耐用
- ◇ 箱体表面喷黑色耐磨聚料防水图层,防水耐磨

应用范围:

- ◇ 户外演出、体育馆扩声、剧院扩声
- ◇ 会所、多功能厅和演艺厅扩声、礼堂扩声
- ◇ 高素质的中型固定安装及流动演出专业音响系统

FEATURES:

Bi-amp line array system
Highest output to size ratio
Integrated rigging system for flown & sound stackable

APPLICATIONS:

High demands applications
Touring, outdoor event,
Large format venue usage

型号MODEL	VQ6P 有源紧凑型线阵列演出系统
单元Speaker Unit	
Low :	2x 6.5in, 300W, 4 ohm
High:	1x 2in, 50W, 8 ohm
频响Frequency Response	60Hz~19kHz (±3dB)
灵敏度System Sensitivity	
Low 1W/ 1m:	98 dB
High 1W/ 1m:	103 dB
最大声压[Maximum SPL]	
Low:	108 dB
High:	123 dB
建议最低/最高频率LPF/HPF	LF-LPF: 150Hz,HPF:1.2KHz HF-LPF: 1.2KHz,HPF:19KHz
覆盖角度Nominal Dispersion:	Horizontal:90° ,Depending on splay, Max,Vertical splay:3°
分频Crossover point:	通过内置DSP处理器 By inside processor
插座Socket	2 × Speakon NL4
悬挂系统Rigging system:	0° ,3° ,5° ,8° with front splay extend to 10°
尺寸Dimensions(宽W×深D×高H):	570x 220 x 280mm
重量Weight(公斤.kg)	16.5 kg
系统配套超低音箱	W215P
System Supporting of Subwoofer:	



产品特点:

- ◇ 高效能少干涉输出
- ◇ 辐射范围宽、远
- ◇ 专业吊挂件装配, 安全、快速、可靠
- ◇ 人性化的安装, 可靠性的防水耐热材料

箱体构造:

- ◇ 箱体材料为多层胶合板
- ◇ 环保水溶性弹性油漆
- ◇ 倒相式箱体结构

应用范围:

- ◇ 现场演出
- ◇ 音乐播放
- ◇ 语言

FEATURES:


High performance and low interference output
Wide dispersion range
Integrated rigging system for flown & sound stackable

BOX CONSTRUCTION:


Plywood & environmental water resistant
Black texture paint

APPLICATIONS:


Live show
Music play




Front



Side




Back



Top

型号Model	W215P
系统System:	超低频音箱Sub bass band-pass enclosure
额定功率Power handling:	2x 15in, 1200W, 4 ohm
频率响应Frequency response:	30Hz~180Hz (± 3dB)
灵敏度Sensitivity-1w/ 1m:	127 dB
声压级Max. SPL peak:	133 dB
角度Dispersions:	Omni
分频点Crossover point:	150Hz
插座Input connectors:	2x NL4 speakon
箱体形状Enclosure shape:	Rectangular
箱体材料Enclosure material:	13-ply 18mm birch wood
油漆Finish:	防水油性漆 Wear resistant texture paint
铁网Grille:	多孔铁网+防水棉 Powder coated perforated steel with front foam
吊挂系统Rigging system:	9-hole aero track left & right
尺寸Dimensions:	560 x 880 x 685mm
重量Net weight:	59 kg





演艺科技，尽在剧院之声

● 因产品不断改进，指标不必通知就可以改变。